

NOTES:


1. MATERIALS AND FINISHES(PLATING THICKNESS IN MICRO-INCHES):  
BODY - BRASS, NICKEL PLATING  
CONTACT - PHOSPHOR BRONZE, GOLD PLATING  
INSULATOR - PTFE
2. ELECTRICAL:  
A. IMPEDANCE: 50 OHM  
B. FREQUENCY RANGE: DC 0-11 GHz  
C. DIELECTRIC WITHSTANDING VOLTAGE: 1500 VRMS, MIN.
3. MECHANICAL:  
A. DURABILITY: 500 CYCLES MIN.  
B. TEMPERATURE RANGE: - 40°C to +155°C

THIRD ANGLE PROJ.







REVISIONS

REV	DESCRIPTION	DATE	ECO	APPR
A	RELEASE TO MFG.	20-Nov-98	42731	CPM
B	KJ# WAS T6351B1-50	17-Dec-98	42779	CPM
C	REDRAWN TO UPDATE FORMAT	07-May-08	47065	SHE



RECOMMENDED  
MOUNTING HOLE



CUSTOMER OUTLINE DRAWING

ALL OTHER SHEETS ARE FOR INTERNAL USE ONLY

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN METRIC AND TOLERANCES ARE:  
0.5 - 6mm ±0.1mm  
6 - 30mm ±0.2mm  
30 - 120mm ±0.3mm  
ANGLES ±1°

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.

MATERIAL	DRAWN BETTY.L	DATE 27-May-05	TITLE TNC BULKHEAD RECEPT.JACK	Amphenol RF
REFERENCE	ENGINEER MARK.C	DATE 27-May-05	SCALE:2.5/1	Danbury CT USA, Tainan Taiwan, Shenzhen China www.amphenolrf.com
FINISH	APPROVED MARK.C	DATE 27-May-05	SHEET 2 OF 2	DRAWING NO. T6351B1-NT3G-50
	CAD FILE F:\DWG\T\6351B1\50\NT3G-CSZ	DWG SIZE B	CODE ID 74868	ITEM NO. 026351AAB01NA5F
		REV C		PART NO. 031-2301-RFX