










Amphenol

Telecom Solutions

N-Type High Power RF Plugs – Continued

 Termination Instruction H Dim: A: 37.7mm, B: 21mm, C: 10.6mm		 Termination Instruction E Dim: A: 33.5mm, B: 21.6mm, C: 15.9mm, D: 40.9mm		 Termination Instruction E Dim: A: 33.5mm, B: 21.6mm, C: 16mm, D: 40.9mm	
Part Number:	Description:	Part Number:	Description:	Part Number:	Description:
82-202-1006	Clamp/Solder Straight Plug. For LMR400, TWB4001, Belden 9913, 9914 Cable.	82-6048-1000	Crimp/Crimp Right Angle Plug. For LMR400, TWB4001, Belden 9913, 9914 Cable.	82-5995-RFX	Crimp/Crimp Right Angle Plug. For LMR600, TWB6001 Cable.
 Termination Instruction E Crimp/Crimp Straight Plug, Hex Coupling Nut					
Part Number:	Description:	Part Number:	Description:	Part Number:	Description:
82-6106-RFX	For LMR240 / TWB2401 Cable.	82-6142-1000	For LMR400 / TWB4001 Cable.	82-5993-RFX	For LMR600 / TWB6001 Cable.
Dim: A: 35.8mm, B: 21.6mm, C: 6.6mm		Dim: A: 37.8mm, B: 21.6mm, C: 10.6mm		Dim: A: 50.3mm, B: 23.6mm, C: 15.9mm	
 Termination Instruction DD		 Termination Instruction DD		 Termination Instruction X	
Part Number:	Description:	Part Number:	Description:	Part Number:	Description:
AFA7-4	N-Type Plug for 1/2" Annular Coaxial Cable without Plaster.	AFA7-5	N-Type Plug for 1/2" Annular Coaxial Cable.	AFA12-3	N-Type Plug for 1/2" Superflexible Coaxial Cable.
 Termination Instruction EE		 Termination Instruction EE		 Termination Instruction EE	
Part Number:	Description:	Part Number:	Description:	Part Number:	Description:
AFA43-1	N-Type R/A Plug for 1/2" Annular Coaxial Cable.	AFA51	N-Type R/A Plug for 1/2" Superflexible Coaxial Cable.	AFA17-4	N-Type Plug for 1/2" Annular Coaxial Cable, Whorl connecting inner conductor and cable.

ARFA / AFY / RF

Amphenol

Telecom Solutions

N-Type High Power RF Plugs – Continued

Termination Instruction EE	Termination Instruction Z	Termination Instruction BB
Part Number: Description:	Part Number: Description:	Part Number: Description:
AFA6-4 N-Type Plug for 7/8" Annular Coaxial Cable, Elastomer connecting inner conductor and cable.	AFA6-2 N-Type Plug for 7/8" Superflexible Coaxial Cable.	AFA85-1 N-Type Plug for 1 1/4" Annular Coaxial Cable.
Part Number:	Part Number:	Part Number:
Description:	Description:	Description:
AFA69 N-Type Plug for 1 1/4" Radiating Cable.	AFA65-1 N-Type Plug for 1 5/8" Annular Coaxial Cable.	AFA62 N-Type Plug for 1 5/8" Radiating Cable.

N-Type High Power RF Jacks










Termination Instruction E	Termination Instruction H	Termination Instruction H
Crimp/Crimp Straight Jack – Captive Contact	Clamp/Solder Straight Jack – Captive Contact	Clamp/Solder Straight Jack – Captive Contact
N6121A1NT3xxx50	N6141AxNT3Gxxx50	N6141AxNT3Gxxx50
Part Number: Description:	Part Number: Description:	Part Number: Description:
82-6092-RFX For RG/U 59/62 Cable.	36500-RFX For RG/U 59/62 Cable.	82-63-RFX Clamp/Solder Straight Jack – Captive Contact.
82-5376-RFX For RG/U 58/141 Cable.	35025-RFX For RG/U 58/141 Cable.	For RG/U 8/213/214 Cable.
82-4429-RFX For RG/U 8/213 Cable.		
Termination Instruction E	Termination Instruction H	Termination Instruction DD
Dim: A: 24.5mm, B: 21mm, C: 3.6mm	Dim: A: 39.6mm, B: 19.1mm, C: 11.3mm	
Part Number: Description:	Part Number: Description:	Part Number: Description:
82-6158-RFX Crimp/Crimp Straight Jack. For LMR240, TWB2401 Cable.	82-209-1006 Clamp/Solder Straight Jack. For LMR400, TWB4001, Belden 9913, 9914 Cable.	AFA8-5 N-Type Jack for 1/2" Annular Coaxial Cable.

ARFA / AFY / RF




Amphenol

Telecom Solutions

N-Type High Power RF Jacks – Continued

 Termination Instruction DD		 Termination Instruction X		 Termination Instruction EE	
Part Number:	Description:	Part Number:	Description:	Part Number:	Description:
AFA12-5	N-Type Jack for 1/2" Superflexible Coaxial Cable.	AFA2-2	N-Type Jack for 1/2" Superflexible Coaxial Cable.	AFA5-1	N-Type Jack for 7/8" Annular Coaxial Cable, Whorl connecting inner conductor and cable.
 Termination Instruction EE		 Termination Instruction Z		 Termination Instruction BB	
Part Number:	Description:	Part Number:	Description:	Part Number:	Description:
AFA5-4	N-Type Jack for 7/8" Annular Coaxial Cable, Elastomer connecting inner conductor and cable.	AFA18-4	N-Type Jack for 7/8" Superflexible Coaxial Cable.	AFA80-1	N-Type Jack for 1 1/4" Annular Coaxial Cable.
 Termination Instruction CC		 Termination Instruction CC		 Termination Instruction CC	
Part Number:	Description:	Part Number:	Description:	Part Number:	Description:
AFA54	N-Type Jack for 1 1/4" Radiating Cable.	AFA14-1	N-Type Jack for 1 5/8" Annular Coaxial Cable.	AFA64	N-Type Jack for 1 5/8" Radiating Cable.

N-Type RF Connector – Panel Mount

 N1551x1NT3Gxx50		 Slot Width: 0.3mm, 0.5mm, 0.7mm, 0.9mm N1551x1NT3Gxx50		 N6551x1NT3Gxx50	
Part Number:	Description:	Part Number:	Description:	Part Number:	Description:
49000-RFX	Solder-Cup Straight Panel Mount Plug.	82-6100-RFX	Slot Terminal Straight Panel Mount Plug.	82-97-RFX	Solder-Cup Straight Panel Mount Jack.

ARFA / AFY / RF